

## MEDICATIONS PRIOR TO SKIN TESTING

*The following medications **may be taken** as usual prior to skin testing:*

Advair	<b>Famotidine</b>	<b>Mometasone</b>	<b>Pantoprazole</b>	Ranitidine
Alomide	Flovent	<b>Montelukast</b>	Pepcid	Rhinocort
<b>Budesonide</b>	<b>Fluticasone</b>	<b>Naphazoline</b>	Prednisone	Singulair
Cimetidine	Inhalers	Naphcon	Prevacid	Steroids
Crolom	<b>Lansoprazole</b>	Nasonex	Protonix	Veramyst
<b>Cromolyn</b>	<b>Lodoxamide</b>	Omeprazole	Pulmicort	

*The following medications **should be stopped 3 days prior** to skin testing:*

All over the counter antihistamines/ cough and cold preparations containing antihistamine				
Actifed	<b>Carbinoxamine</b>	<b>Dexbrompheniramine</b>	Meclizine	Rhinolar
Alka Seltzer	Cardec	<b>Dexchlorpheniramine</b>	Naldecon	Rondec
Allermax	Chlorafed	Dimetane	<b>Naphazoline</b>	Ru-Tuss
Allerest	<b>Chlorpheniramine</b>	Dimetapp	Nolamine	Ryaltris
Alloway	Chlor-Trimeton	<b>Diphenhydramine</b>	Novafed	Rynatan
Anafranil	Clemastine	Dramamine	Nyquil	Semprex
Antivert	<b>Clemastine Fumarate</b>	Dristan	Optimine	Sinarest
A.R.M.	Clistin	Drixoral	Ornade	Sine-Off
Astelin	<b>Clomipramine</b>	Dymista	Pataday	Sinubid
Astepro	Codimal	Epinastine	Patanase	Sudafed-Plus
Atrohist	Comhist	Extendryl	PBZ	Tavist
<b>Azelastine</b>	Contact	Fedahist	Pedia Care	<b>Tripeleennamine</b>
Benadryl	Coricidin	Formula 44	Periactin	Triaminic
Bepreve	Co-Tylenol	Histalet Forte	Phenergan	Trinalin
Bonine	<b>Cyproheptadine</b>	Isochlor	Polaramine	<b>Triprolidine</b>
Bromfed	Dayquil	<b>Ketotifen</b>	Poly-Histine	Unisom
<b>Bromodiphenhydramine</b>	Deconamine	Kronofed-A	Promethazine	Zaditor
Brompheniramine	Demazin	Lastacraft	PV Tussin	

*The following medications **should be stopped 7 days prior** to skin testing:*

Please review your medicine list and consider stopping any of the following medicines 7 days prior to skin testing if possible. Only stop medicines if it is medically safe and tolerable to do so, this is especially true for certain psychiatric medicines which can cause severe withdrawal symptoms if they are stopped suddenly. In this case you should discuss with the prescriber. If you cannot stop medications for any reason we understand. The doctor can discuss testing options in more detail at your visit.

Allegra or Allegra D	Claritin or Claritin D	<b>Fexofenadine</b>	<b>Loratadine</b>	Xygal
Alavert	<b>Cetirizine</b>	Hydroxyzine	Hydroxyzine	Zyrtec
Clarinx or Clarinex D	<b>Desloratadine</b>	Levocetirizine	Vistaril	

*The following medications **should NOT be stopped but will interfere with skin testing***

Amitriptyline	Compazine	Imipramine	Perphenazine	Thorazine
Atarax	Desipramine	Limbitrol	Prochlorperazine	Tofranil
<b>Chlorodiazepoxide</b>	Doxepin	Norpramin	<b>Protriptyline</b>	Trifluoperazine
Chlorpromazine	Elavil	Nortriptyline	Stelazine	Trimipramine
Clomipramine	Fluphorazine	Pamelor	Surmontil	Vivactil